	IECEx Certificate of Conformity		
INTER IEC C	NATIONAL ELE certification Sche for rules and details of	CTROTECHNICAL C eme for Explosive A the IECEx Scheme visit www.iece	COMMISSION Atmospheres
Certificate No.:	IECEx ULD 15.0002X	issue No.:1	Certificate history: Issue No. 1 (2015-10-
Status:	Current		22) Issue No. 0 (2015-5-5)
Date of Issue:	2015-10-22	Page 1 of 5	
Applicant:	Crowcon Detection In 172 Brook Drive Milton Park Abingdon Oxfordshire OX14 4SD United Kingdom	nstruments Ltd.	
Electrical Apparatus: Optional accessory:	Type 4 Gas Detectors Sensor Filter Plate Acces	ssory	
Type of Protection:	Intrinsic Safety "ia", Fl	ameproof "d"	
Marking:	Ex ia IIC T4 Ga (T4 Ty EX d ia IIC T4 Gb (T4	Ex ia IIC T4 Ga (T4 Type 1) EX d ia IIC T4 Gb (T4 Type 2)	
	-20°C to +55°C		
	0°C to +40°C (charging	g/comms in unclassified area)	
Approved for issue on b Certification Body:	ehalf of the IECEx	Jasmin Omerovic	
Position:		Program Manager	
Signature: (for printed version)			
Date:			
 This certificate and so This certificate is not The Status and auther 	chedule may only be reprodu transferable and remains the enticity of this certificate may	uced in full. a property of the issuing body. be verified by visiting the Official I	IECEx Website.
Certificate issued by:			
UL	International Demko A/S Borupvang 5A, DK-2750 Ballerup Denmark		(UL)









Annex: Annex to IECEx ULD 15.0002X Issue No. 1.pdf

Annex to IECEx ULD 15.0002X Issue No.:0 Applicant/Manufacturer: Crowcon Detection Instruments Ltd.

The enclosure consists of a 2 piece casing secured by 6 self-tapping screws. The case material is a clear polycarbonate (type Calibre 303EP-22) over-moulded with static dissipative TPE (orange, black or red). Openings are provided in the top part of the case to allow gas access to the sensors within the equipment.

There are 2 PCBs within the enclosure – the Main PCB (containing the majority of the electronics) and the Sensor PCB. These PCBs connect by means of PCB mounted plug/socket which are mechanically secured together.

Power is provided by a single, rechargeable Li-ion battery (types Sanyo UF103450P or E-One Moli Energy ICP103450CA) which is permanently fitted inside the equipment enclosure and connected to the Main PCB, which is not user-replaceable.

'T4' is designed to be used with a defined selection of toxic/O2 electrochemical gas sensors and flammable/pellistor gas sensors. The flammable/pellistor gas sensors intended for use in 'T4' are either 'Ex d' or 'Ex ia' certified components, Therefore there are 2 variants of 'T4' with either 'Ex d ia' or 'Ex ia' protection concepts.

External connections are provided for use in the non-hazardous area for battery charging and communications to computers.

The 'T4' is supplied with an optional filter plate accessory, which is an entirely non-metallic fitting that clips over the sensor openings.

Specific Conditions of Use:

The following additional previous editions of Standards noted under the "Standards" section of this Certificate were applied to integral Components as itemized below. There are no significant safety related changes between these previous editions and the editions noted under the "Standards" section.		
VQ500 Series Gas Sensing Heads,	IEC60079-0: 2007	
manufactured by SGX Sensortech (IS) Ltd	IEC60079-1: 2007	
4P Series Gas Sensing Head,	IEC60079-0: 2007	
manufactured by City Technology Ltd	IEC60079-1: 2007	



INTERNATIONAL ELECTROTECHNICAL COMMISSION IEC Certification Scheme for Explosive Atmospheres

for rules and details of the IECEx Scheme visit www.iecex.com

Certificate No.:	IECEx ULD 15.0002X		Issue No: 0	Certificate history: Issue No. 0 (2015-05-05)
Status:	Current		Page 1 of 4	
Date of Issue:	2015-05-05			
Applicant:	Crowcon Detection Instruments Ltd 172 Brook Drive Milton Park Abingdon Oxfordshire OX14 4SD United Kingdom	I		
Electrical Apparatus:	Type 4 Gas Detectors			
Optional accessory:	Sensor Filter Plate Accessory			
Type of Protection:	Ex i, Ex d			
Marking:	Ex ia IIC T4 Ga (T4 Type 1) EX d ia IIC T4 Gb (T4 Type 2)			
Approved for issue on behalf of the Certification Body:	IECEx	Jasmin Omerovic		
Position:		Program Manager		
Signature: (for printed version)				
Date:	-			
	-			

1. This certificate and schedule may only be reproduced in full.

- 2. This certificate is not transferable and remains the property of the issuing body.
- 3. The Status and authenticity of this certificate may be verified by visiting the Official IECEx Website.

Certificate issued by:

UL International Demko A/S Borupvang 5A, DK-2750 Ballerup Denmark





Certificate No:	IECEx ULD 15.0002X	Issue No: 0
Date of Issue:	2015-05-05	Page 2 of 4
Manufacturer:	Crowcon Detection Instruments Ltd. 172 Brook Drive Milton Park Abingdon Oxfordshire OX14 4SD United Kingdom	

Additional Manufacturing location(s):

This certificate is issued as verification that a sample(s), representative of production, was assessed and tested and found to comply with the IEC Standard list below and that the manufacturer's quality system, relating to the Ex products covered by this certificate, was assessed and found to comply with the IECEx Quality system requirements. This certificate is granted subject to the conditions as set out in IECEx Scheme Rules, IECEx 02 and Operational Documents as amended.

STANDARDS:

The electrical apparatus and any acceptable variations to it specified in the schedule of this certificate and the identified documents, was found to comply with the following standards:

IEC 60079-0 : 2011 Edition:6.0	Explosive atmospheres - Part 0: General requirements
IEC 60079-1 : 2007-04 Edition:6	Explosive atmospheres - Part 1: Equipment protection by flameproof enclosures "d"
IEC 60079-11 : 2011 Edition:6.0	Explosive atmospheres - Part 11: Equipment protection by intrinsic safety "i"

This Certificate does not indicate compliance with electrical safety and performance requirements other than those expressly included in the

Standards listed above.

TEST & ASSESSMENT REPORTS:

A sample(s) of the equipment listed has successfully met the examination and test requirements as recorded in

Test Report: DK/ULD/ExTR15.0003/00

Quality Assessment Report:

GB/BAS/QAR06.0070/04



Certificate No:

IECEx ULD 15.0002X

Issue No: 0

Date of Issue:

2015-05-05

Page 3 of 4

Schedule

EQUIPMENT:

Equipment and systems covered by this certificate are as follows:

The equipment is a portable gas detector designed to measure concentration of gases and to indicate excessive levels to the user by means of audible/visual/vibrating alarms.

The enclosure consists of a 2 piece casing secured by 6 self-tapping screws. The case material is a clear polycarbonate over-moulded with static dissipative TPE. Openings are provided in the top part of the case to allow gas access to the sensors within the equipment.

There are 2 PCBs within the enclosure – the Main PCB (containing the majority of the electronics) and the Sensor PCB. These PCBs connect by means of PCB mounted plug/socket which are mechanically secured together.

Power is provided by a single, rechargeable Li-ion battery (types Sanyo UF103450P or E-One Moli Energy ICP103450CA) which is permanently fitted inside the equipment enclosure and connected to the Main PCB, which is not user-replaceable.

The equipment is designed to be used with a defined selection of toxic/O2 electrochemical gas sensors and flammable/pellistor gas sensors. The flammable/pellistor gas sensors intended for use in 'T4' are either 'Ex d' or 'Ex ia' certified components, Therefore there are 2 variants of 'T4' with either 'Ex d ia' or 'Ex ia' protection concepts.

External connections are provided for use in the non-hazardous area for battery charging and communications to computers.

The equipment is supplied with an optional filter plate accessory, which is an entirely non-metallic fitting that clips over the sensor openings.

Nomenclature for type:

T4 Type 1 Intrinsically Safe

T4 Type 2 Intrinsically safe with flameproof sensor

Temperature range

The ambient temperature ranges are:

Hazardous area: -20 °C to +55 °C

Safe area: 0 °C to +40 °C (battery charging/communications)

Electrical data

Intrinsically safe specifications:

Um : 9.1 V

CONDITIONS OF CERTIFICATION: YES as shown below:

Please See Annex.



Certificate No:

IECEx ULD 15.0002X

Date of Issue:

2015-05-05

Issue No: 0

Page 4 of 4

Additional information:

Refer to Annex for Additional information.

Annex:

Annex to IECEx ULD 15.0002X issue no. 0.pdf

Annex to IECEx ULD 15.0002X issue No.: 0 Free ref. no. 4786386470

Conditions of Certification

The following additional previous editions of Standards noted under		
Components as itemized below. There are no significant safety		
related changes between these previous editions and the editions		
noted under the "Standards" section.		
VQ500 Series Gas Sensing Heads,	IEC60079-0: 2007	
manufactured by SGX Sensortech (IS)	IEC60079-1: 2007	
Ltd		
4P Series Gas Sensing Head,	IEC60079-0: 2007	
manufactured by City Technology Ltd	IEC60079-1: 2007	